



An Introduction to Linux

Jonathan Quick, Hartebeesthoek Radio Astronomy
Observatory

Basic Concepts
Top Ten Commands & Procedures
Finding More Information



Goals

- Give you basic "survival skills"
- Show you where to find more information when you need it
- Increase your familiarity with Unix/Linux tools and the "Unix way of thinking"
- Show how to browse and manipulate files



Introduction and Background

- Linux is a free implementation of the traditional Unix operating system
 - multi-process, multi-user, time-sharing
 - paging virtual memory
 - "free" in the sense of "freely distributable"; GPL
- Turns an ordinary PC into a real computer :-)
- Our 'bootes.hartrao.ac.za' had been up 48 days when I was modifying these transparencies...



Basic Linux Concepts

- Linux Kernel
 - Base monolithic kernel + loadable modules
- Linux System / "Distribution"
 - Kernel + lots of software
- Process
- Command / Executable
- Shell / Command Line Interpreter
- X Window System



Everything is a File

- `find . -type x`
 - Simple files, directories
 - `f` (regular file), `d` (directory)
 - Devices
 - `b` block (buffered) special
 - hard disks, disk partitions, floppies
 - `c` character (unbuffered) special
 - serial ports, tape drives
 - Others
 - `p` (named pipe, FIFO), `l` (symbolic link), `s` (named network socket)



What's there or the Directory Tree

- /
 - "the root directory", "top"
- /usr/doc/bash/README.Debian.gz
 - a "pathname"
- . (current directory), .. (up one level)
- ~ (home directory), ~user
- tree -d .



The Root Directory Level

- /bin, /sbin -- basic commands
- /boot -- boot files
- /dev -- device special files
- /etc -- configuration files
- /home -- standard user home directories
- /lib -- run-time libraries



The Root Directory Level 2

- /mnt, /floppy, /dosa -- temporary mount points
- /proc -- process information
- /root -- home directory of 'root' user
- /tmp -- temporary files
- /usr -- "user level software" - see next slide
- /var -- "variable" run-time files



/usr, /var

- **/usr**
 - /usr/bin, /usr/sbin -- "non-essential" commands
 - /usr/lib -- run-time libraries
 - /usr/X11R6 -- the X Window System
 - /usr/doc, include, local, share, src
- **/var**
 - /var/log -- run-time log files
 - /var/spool -- queued files (e.g. printer)
 - /var/lock, run, tmp



Logging in and out

- Locally:
 - Into X Window System via 'xdm' / 'kdm' / 'gdm'
 - Into a "virtual console" 'login:' prompt
- Remotely:
 - Using 'ssh' or 'telnet'
- The user name and password checked against /etc/passwd --> UID, GID
- Logging out
 - logout, exit, Ctrl-D



The Shell

- When you have logged in you will be dropped into a shell (or "command line interface", CLI)
- There are many alternative shells:
 - tcsh, used by FS 'oper' and 'prog' accounts
 - Bash (default), used by the 'root' account
 - others (ash, sh ,ksh, zsh,...)
- Using the shell command line you can invoke commands (executables and scripts)



Top Ten Commands

- `ls -al`, `locate`, `find . -name '*.c'`
- `cd`, `pwd`, `pushd`, `popd`
- `less`, `more`, `most`; `zless README.gz`
- `fgrep`, `grep`, `egrep`
 - `zgrep broken /usr/doc/*/README.gz`
 - `rgrep `hostname` /etc`
- `mv -i`, `cp -av`, `rm -rf`
- `emacs . &`



Help! I Need Help!

- `command --help; man something`
- `man 5 printcap`
 - 1) commands, 2/3) programming, 4) /dev, 5) conf-files, 7) concepts 8) sysadmin
- `apropos something` or `man -k something`
- `locate something`
- `cd /usr/share/doc/something; zless README.gz`
- `info something` (or 'C-h i' in Emacs)



Navigating Directories

- `ls -altd`
 - `-a` all files (also "hidden" `'.xyz'` files)
 - `-l` long format (dates, protection)
 - `-t` most recently changed files first
 - `-d` list directories (not their contents)
- `cd /usr2/fs; pushd /var`
 - `cd` (back to home directory)
 - `cd ..` (up one level, "parent" directory)
 - `popd`



Browsing and Searching

- `less file1 file2`
 - SPACE forward, 'b' backward
 - 'Page Up' and 'Page Down' keys work, too
 - ESC > end, ESC < beginning
 - Like in Emacs!
 - / searchstring RET
 - n search for next occurrence
 - F wait for more lines to be appended to the file
 - q quit



Browsing and Searching 2

- fgrep string files
 - search for a fixed string
 - -i ignore upper/lowercase
- grep, egrep
 - '^beginning', 'end\$'
 - 'some.*thing'
 - 'special[0-9][0-9]'



Moving, Copying, Deleting Files

- `cp -avi from to`
- `cp -avi file1 file2 file3 todirectory`
 - `-a` copy all file properties & dates
 - `-v` verbose; show file names copies
 - `-i` interactive warning against overwriting
- `mv -vi` (just like `cp`)
 - both renaming and moving between directories
- `rm -rfi`
 - recursively, force, interactive



Mastering the Command Line

- TAB Completion
 - of both command and file names
- Ctrl-D Alternatives
 - (in tcsh; double TAB in bash)
- Up-Arrow for previous commands
 - "Command Line History"
 - Editing with Left/Right-Arrow, Backspace, Ctrl-D, Ctrl-A/E
- Mouse copy/paste; Shift-Insert



Manipulating Input/Output

- When a command executes it has 3 I/O streams:
 - standard input, output, and error output
 - by default these are bound to the "terminal" /dev/tty
- "Redirecting":
 - < input, > output, >> append output
 - error output / tcsh: >&, >>& append
 - error output / bash: 2>, 2>> append



Combining Commands

- "Pipeline": `'fgrep bbc01 *.log | less'`
 - Feed the output of the first command to the input of the second
 - Runs the two commands in parallel!
- Grouping commands with parentheses
 - `(cd /usr/doc; zgrep -i doc *.gz) | less`
- Running commands in the background
 - `&`, `Ctrl-Z`, `bg`, `fg`, `jobs`, `%1`



Multiple Jobs

- Any command line can be run in the background by just appending '&'
- A command you have already started can be suspended with Ctrl-Z ("zap" it :-)
- You can resume a suspended job
 - With 'bg': send it to run in the background
 - With 'fg': bring it back to foreground (to your shell)
- Type 'jobs' to see what you have in background
- `kill -9 %1`



Combination Examples

- How many log files do you have?
 - `cd /usr2/log; ls *.log | wc`
- Look at valid pointing offset results
 - `fgrep '#offset' point.log | grep '1 1' | less`
- Where is RealTek mentioned in kernel source code?
 - `cd /usr/src/kernel-source-2.0.36 (remember TAB!)`
 - `fgrep -i realtek `find . -name '*.c'` | less`
- `updatedb &`



Wildcards

- The shell interprets wildcards and substitutes the resulting list of local file names on the command line
- '*' -- anything (zero or more characters)
 - Can be anywhere in the pathname!
 - `/usr/doc/*/README*.gz`
- '?' -- any one character
- '[0-9]', '[a-z]' -- any listed character



Handling Disks and Floppies

- Formatting
 - Floppies: `superformat /dev/fd0`
 - Hard disk partitions: `mke2fs /dev/hda1`
- Using (MS-DOS) floppies directly:
 - `mdir a:, mcopy *.txt a:, mcopy 'a:*.vex' .`
- Mounting to a mount point (=directory)
 - `mount /dev/fd0 /mnt`
- Use normally, unmount with `'umount /mnt'`



File and Directory Protection

- All files and directories are owned by one user and one group
- All files and directories have three sets of protection "bits"
 - What the owner user can do ('u')
 - What the owner group can do ('g')
 - What all the others ("world") can do ('o')
- Protection "bits" 'r' read, 'w' write, 'x' execute



'rwx' for Files

- The protection bits affect the file contents, not the file name!
- 'r' means the user/group/others can read the contents of this file
- 'w' means the user/group/others can change the contents of this file
- 'x' means that execution of this file (script or binary) can be attempted
- Typical default is '-rwxr-xr-x'



'rwx' for Directories

- The protection bits affect what the user/group/others can do to the file that contains the file names (=the directory itself)
 - 'r' means the user/group/others can read and list the file names in the directory
 - 'w' means the user/group/others can add, delete, and change the file names in the directory
 - 'x' means that this directory can be "used" (e.g. as a part of a pathname)
 - Typical default is 'drwxr-xr-x'



Changing Protection

- Changing protection bits
 - `chmod -R ugoa=+-rwx file1 file2`
 - u(ser), g(roup), o(thers), a(ll)
 - =(set exactly), +(add), -(remove)
 - r(ead), w(rite), x(ecute)
- Changing ownership
 - `chown oper.rtx file1 file2 file3`
 - Only 'root' can change file owner



Inodes, Hard Links, Soft Links...

- The same file can be present in multiple directories
 - Same name / different names allowed
- Directories refer to the file with an "inode" number
- Deleting a file actually only removes the name from the directory
 - If this was the last name referring to a given inode, only then the file contents is actually deleted



Hard Links, Soft Links

- "Additional" names for the same files are created with 'ln oldfile newfile'
 - This is a "hard link"
 - Notice the order: just like in 'cp' copy command
- A symbolic link is created in the same way 'ln -s oldfile newfile'
 - This is a "soft link"
 - 'newfile' only stores the name of the 'oldfile'



Getting System Information

- `ps axf, top; kill, kill -9`
- `free`
- `df, mount`
- `netstat -n`
- `w, who`
- `cat /proc/cpuinfo (and others)`



Finding More Information

- The HOWTO collection of documents
 - `cd /usr/share/doc/HOWTO`
- Linux Documentation Project
 - <http://www.tldp.org/>
- Debian Bug Tracking System
 - <http://www.debian.org/Bugs/>
- www.google.com



Summary

- What we have covered today:
 - Basic Linux Concepts
 - The Shell
 - Top Ten Commands
 - Help! I Need Help!
 - Mastering the Command Line
 - Manipulating Input/Output
 - Combining Commands, Using Wildcards
 - Combination Examples



Summary

- What we have covered today:
 - The Directory Tree
 - Everything is a File
 - Handling Disks and Floppies
 - File and Directory Protection
 - Getting System Information
 - Finding More Information